



JOHNSON & STAINBROOK, LLP

Registered Patent Attorneys
Patents, Trademarks, Copyrights
And Related Matters

Marin County Office

175 N. Redwood Drive, Ste.130
San Rafael, CA 94903
Tel: (415) 499-8822
Fax: (415) 472-4347

Sonoma County Office

3550 Round Barn Blvd., Ste. 203
Santa Rosa, CA 95403
Tel: (707) 578-9333
Fax: (707) 578-3133

Attorney Docket No. 00434.P2

April 2, 2002

Commissioner for Patents
Washington, D.C. 20231

Sir:

RECEIVED
APR 26 2002
TC 1700


Transmitted herewith for filing is an Amendment of patent application of Richard D. Simon, U.S. Pat. Appl. Ser. No. 09/642,249, for a GRAVITY FLOW SLUDGE LOAD-OUT SYSTEM, said amendment submitted in response to the office action dated October 2, 2001.

Enclosed are the following:

Amendment and Remarks (11 pages);
Submission of Proposed Corrected Drawings (2 sheets, informal);
Petition for 3-Month Extension of Time Under 37 CFR 1.136(a)1);
Notice of Change in Address of Attorney of Record and of
Attorney Docket Number;
Check no. 2436 in the amount of \$460.00; and
Self-addressed postage paid return postcard.

Very truly yours,

JOHNSON & STAINBROOK, LLP


Craig M. Stainbrook
Registration # 45,126
Attorneys for Applicant

Certificate of Mailing under 37 CFR 1.8


I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to:

Commissioner for Patents

Washington, D.C. 20231

on 04/02/2002
Date

Craig M. Stainbrook
(Reg. No. 45,126)



Attorney Docket No: 00434.02

#8/Drawing
4/29/02
H. But
RECEIVED
APR 26 2002
TC 1700

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: SIMON, Richard D., et al.)

Examiner: Cecil, T.

Serial No.: 09/642,249)

Art Unit: 1723

Filed: 08/17/00)

Title: GRAVITY FLOW SLUDGE
LOAD-OUT SYSTEM)

Commissioner for Patents
Washington, D.C. 20231

SUBMISSION OF PROPOSED CORRECTED DRAWINGS

Dear Sir:

Enclosed are substitute informal drawings (2 sheets) for filing in the above-identified U.S. patent application. These substitute drawings are submitted in response to the Examiner's indications in the Office Action mailed 10/02/01, and show proposed changes in accordance with the Examiner's indications in red ink.

Applicant submits that no new matter is introduced into the disclosure of the application through the submission of these substitute drawings and therefore respectfully requests that these sheets replace the corresponding sheets already on file.

Date: 04/02/2002

Respectfully Submitted,

Craig M. Stainbrook
Registration No. 45,126
3550 Round Barn Blvd., Suite 203
Santa Rosa, CA 95403
Telephone (707) 578-9333